Sclerotherapy: Indications and safety volumes

Phlebology 2024, Vol. 39(2) 135–138 © The Author(s) 2023 (co) (c) (c)

Article reuse guidelines: sagepub.com/journals-permissions DOI: 10.1177/02683555231211092 journals.sagepub.com/home/phl



Matthew Tan¹[©], Hernan Bauza Moreno²[©], Beate Bechter-Hugl³, Sergio Gianesini⁴[©], David Connor⁵, Kurosh Parsi⁵[©] and Alun H Davies¹[©]

Keywords

sclerotherapy, foam sclerotherapy, chronic venous disease, guideline

Introduction

Sclerotherapy has been used in the treatment of chronic venous disease (CVD) in its liquid form for more than 160 years. Referring to the chemical ablation of target veins using a sclerosant leading to its transformation into a fibrous cord, it has evolved significantly since its usage in treatments performed by Professors Pétrequin and Soquet,¹ with key developments including detergent sclerosants (e.g. sodium tetradecyl sulphate (STS), polidocanol (POL)) and foam sclerotherapy. Today, both liquid and foam sclerotherapy is among the recommended treatment options for both tributary and truncal veins in national and international guidelines.^{2–4}

Sclerotherapy has seen a revival in popularity due to its ease of use relative to other modalities of CVD treatment. It is a flexible technique that can be used to treat a variety of superficial incompetent vessels ranging from telangiectasia and reticular veins to saphenous trunks. It can also be used to treat venous malformations and deeper veins such as pelvic varicosities. While sclerotherapy, if executed correctly, is an efficient form of treatment with minimal complications, it must not be simply regarded as a simple intravenous injection procedure. Clinicians need to be trained in phlebology and vascular sonography and must be aware of the indications and contraindications for using this treatment. Safe volumes for administration can also vary according to the target vessel and patient characteristics.

This article seeks to highlight the management recommendations from the International Union of Phlebology (UIP),⁴ highlighting salient management decisions that clinicians must consider prior to administering sclerotherapy treatment. These include specific patient characteristics, target vessels, and specific techniques to optimise success and avoid complications.

Management recommendations

Several contraindications must be considered prior to patients undergoing sclerotherapy treatment, requiring a detailed clinical history and physical examination to ensure that the patient is suitable for sclerotherapy. These relative and absolute contraindications are summarised in Tables 1 and 2, respectively. Following this, all patients must undergo diagnostic evaluation using duplex ultrasound to establish treatment targets and diameters of target vessels.

Routine ultrasound guidance is recommended when treating tributary varicosities, perforating veins, recurrent varicose veins, and saphenous trunks. For telangiectasia, sclerotherapy may be administered under direct vision, while for reticular veins, direct vision or ultrasound guidance is recommended. Additionally, fluoroscopic-guided sclerotherapy for venous malformations and pelvic varicosities may be performed.

Determining the maximum volume of foam to be used in one session should be based on individual risk-benefit analysis, the target vessel in question, and the presence of a patent foramen ovale (PFO). When treating saphenous trunks or accessory tributaries with open outflow paths to central circulation, higher volumes of more than 4–10 mL should be avoided; however, larger volumes can be used for smaller tributaries if the venous trunks have been previously ablated. Volumes of foam required can be also reduced by

Corresponding author:

¹Department of Surgery and Cancer, Imperial College London, London, UK

²Department of General Surgery, Hospital Italiano de Buenos Aires, Argentina

³Department of Vascular Surgery, Centre for Lymphedema, UZ Leuven -University Hospitals Leuven, Leuven, Belgium

⁴Department of Translational Medicine, University of Ferrara, Ferrara, Italy
⁵Department of Dermatology, St Vincent's Hospital Sydney, Sydney, Australia

Matthew Tan, Section of Vascular Surgery, Department of Surgery and Cancer, Imperial College London, Room 4N12, 4th Floor, Charing Cross Hospital, Fulham Palace Road, London W6 8RF, UK. Email: matthew.tan13@imperial.ac.uk

technique optimisation strategies such as using tumescent anaesthetic to reduce the diameter of the target vessel. If a patient has a known PFO, the treating clinician is advised to weigh the individualised benefits and risks of performing sclerotherapy prior to performing the procedure.

Clinicians should note that liquid sclerotherapy is only recommended for telangiectasia, with foam sclerotherapy recommended for all other vessel types. Both POL and STS can be used in treatment of all vessel types, with maximal concentrations determined by vessel type, diameter, and wall thickness (Table 3). For larger vessels such as saphenous trunks and accessory vessels, clinicians should also consider treating the patient with combinations of therapeutic options, including thermal and non-thermal ablation methods (Figure 1).

Discussion

This article provides a one-page clinical practice guideline summarising the indications for sclerotherapy and safe volumes for treatment. It is part of a series of publications for the International Union of Phlebology (UIP) One-Page Guidelines which are aimed at ensuring that patients with venous disease receive timely and appropriate care based on current best evidence and expert consensus. Worldwide, sclerotherapy is becoming one of the most widely used treatments for varicose veins due to its ease of use, lower complication burden compared to other treatment modalities, and cost-effectiveness.⁵ Clinical effectiveness of ultrasound-guided foam sclerotherapy has also been shown to be acceptable in a recent meta-analysis, with low rates of recurrence and recanalisation,⁶ with foam being more effective than liquid sclerotherapy.⁷ There still remains debate on whether the form and/or concentrations of the sclerosant used has an impact on the effectiveness between 1% and 3% POL in treatment of the saphenous veins,⁸ but others observing better clinical outcomes when using higher concentrations.⁹ Further trials should aim to clarify this uncertainty to advise the development of future guidelines.

Complications most commonly include thrombophlebitis, pain, pigmentation, and bruising, but these are usually minor and can be transient. More severe complications include deep venous thrombosis and neurological symptoms such as migraines or transient visual changes, but these are usually rare if care is taken to determine the risk profile of each individual patient and tailor the sclerotherapy treatment according to this risk-benefit analysis. Additionally, if caution is exercised to minimise the concentrations and volumes of sclerosant used during treatment, risk of these significant complications is further reduced.¹⁰

Table 1. Relative contraindications for sclerotherapy.

Pregnancy, postpartum, and breastfeeding	Chronic systemic disease including morbid obesity
Risk of venous thromboembolism (VTE)	Predisposition to cutaneous complications including pigmentation, matting, and necrosis
Pain tolerance and psychosocial factors Risk of neurological adverse events and in particular presence of a PFO	Medications including exogenous oestrogens

Table 2.	Absolute	contraindications	for	sclerotherapy.

Hypersensitivity and known allergy to the sclerosant	Acute systemic illness or infection
Acute deep vein thrombosis (DVT) and/or pulmonary embolism (PE) Severe neurological or cardiac adverse events to previous sclerotherapy (foam or liquid)	Chronic limb-threatening ischaemia

Table 3.	Vessel	type in	relation	to sclero	therapy	type and	concentration.

Vessel	POL concentration	STS concentration
Telangiectasia	Up to 0.5%	Up to 0.5%
Reticular veins		
Tributary varicosities, perforating veins, and recurrent varicose veins	1.5%–3% depending on di	ameter and wall thickness
Saphenous trunks and accessory veins		
Venous malformation		
Pelvic varicosities		

foamed sclerosing age Commonly used de polidocanol (POL)	Bauza Moreno H, B Tan KHM, Par chemical ablation of targ	Volumes echter-Hugl B, Gian si K, Davies AH on l et veins by intravenous ude: sodium tetradecy	behalf of UIP delivery of a liquid or
Available in concentrations 5, 10 and 30mg/mL, respect	of 0.2%, 0.5%, 1% and 3% (2, tively)	Available in concentration 3% (5, 10, 20, 40, 60 mg, re	s of 0.25%, 0.5%, 1%, 2% and espectively)
Maximum dose of 4 mL of 3 other concentrations per se	% solution and 10 mL of all		r kg body weight per session
	imple intravenous injection pr	ocedure and requires traini	ng in phlebology and a
 Sclerotherapy is not a si comprehensive knowled Diagnostic evaluation ai Ultrasound guidance sh veins, recurrent varicosi Consider technique opti the diameter of the target 		ent before sclerotherapy is reating saphenous veins, tr e concurrent use of tumesc lume of foam sclerosant us	mandatory. ibutaries, perforating ent anaesthetic to reduce
 Sclerotherapy is not a si comprehensive knowled Diagnostic evaluation a Ultrasound guidance sh veins, recurrent varicosi Consider technique opti the diameter of the targ Avoiding Valsalva during 	imple intravenous injection pr dge of vascular sonography nd duplex ultrasound assessm ould be used routinely when t is and venous malformations imisation strategies such as th get vessel and minimise the vo	ent before sclerotherapy is reating saphenous veins, tr e concurrent use of tumesc lume of foam sclerosant us	mandatory. ibutaries, perforating ent anaesthetic to reduce
Sclerotherapy is not a si comprehensive knowled Diagnostic evaluation an Ultrasound guidance sh veins, recurrent varicosi Consider technique opti the diameter of the targ Avoiding Valsalva during Absolute Com Hypersensitivity and known allergy to the sclerosant	imple intravenous injection pr dge of vascular sonography nd duplex ultrasound assessm ould be used routinely when t is and venous malformations imisation strategies such as th get vessel and minimise the vo g and immediately after proce traindications* Acute systemic illness or Infection	ent before sclerotherapy is reating saphenous veins, tr e concurrent use of tumeso lume of foam sclerosant us dure is mandatory	mandatory. ibutaries, perforating ent anaesthetic to reduce ed in one session.
Sclerotherapy is not a si comprehensive knowled Diagnostic evaluation a Ultrasound guidance sh veins, recurrent varicosi Consider technique opti the diameter of the targ Avoiding Valsalva during Avoiding Valsalva during Absolute Com Hypersensitivity and known allergy to the sclerosant Acute deep vein thrombosis (DVT) and/or pulmonary embolism (PE)	imple intravenous injection pr dge of vascular sonography nd duplex ultrasound assessm ould be used routinely when t is and venous malformations imisation strategies such as th get vessel and minimise the vo g and immediately after proce traindications* Acute systemic illness or Infection Chronic limb-threatening ischaemia	ent before sclerotherapy is reating saphenous veins, tr e concurrent use of tumesc lume of foam sclerosant us dure is mandatory Indication	mandatory. ibutaries, perforating eent anaesthetic to reduce ed in one session. Type and Conc. Direct vision foam or liquid sclerotherapy
Sclerotherapy is not a si comprehensive knowled Diagnostic evaluation a Ultrasound guidance sh veins, recurrent varicosi Consider technique opti the diameter of the targ Avoiding Valsalva during Absolute Com Hypersensitivity and known allergy to the sclerosant Acute deep veinthrombosis (DVT) and/or pulmonary	imple intravenous injection pr dge of vascular sonography nd duplex ultrasound assessm ould be used routinely when t is and venous malformations imisation strategies such as th get vessel and minimise the vo g and immediately after proce traindications* Acute systemic illness or Infection Chronic limb-threatening ischaemia	ent before sclerotherapy is reating saphenous veins, tr e concurrent use of tumeso lume of foam sclerosant us dure is mandatory Indication Telangiectasia Reticular veins Tributary varicosities,	mandatory. ibutaries, perforating tent anaesthetic to reduce ed in one session. Type and Conc. Direct vision foam or liquid sclerotherapy Up to 0.5% POL, up to 0.1% STS Direct vision or ultrasound- guided foam sclerotherapy Up to 0.5% POL, up to 0.5% STS Ultrasound-guided foam
Sclerotherapy is not a si comprehensive knowled Diagnostic evaluation a Ultrasound guidance sh veins, recurrent varicosi Consider technique opti the diameter of the targ Avoiding Valsalva during Absolute Com Hypersensitivity and known allergy to the sclerosant Acute deep veinthrombosis (DVT) and/or pulmonary embolism (PE) Severe neurological or cardiac sclerotherapy (foam or liquid)	imple intravenous injection pr dge of vascular sonography nd duplex ultrasound assessm ould be used routinely when t is and venous malformations imisation strategies such as th get vessel and minimise the vo g and immediately after proce traindications* Acute systemic illness or Infection Chronic limb-threatening ischaemia	ent before sclerotherapy is reating saphenous veins, tr e concurrent use of tumeso lume of foam sclerosant us dure is mandatory Indication Telangiectasia Reticular veins	mandatory. ibutaries, perforating tent anaesthetic to reduce ed in one session. Type and Conc. Direct vision foam or liquid sclerotherapy Up to 0.5% POL, up to 0.1% STS Direct vision or ultrasound- guided foam sclerotherapy Up to 0.5% POL, up to 0.5% STS Ultrasound-guided foam sclerotherapy Both agents: 1.5-3% depending
Sclerotherapy is not a si comprehensive knowled Diagnostic evaluation a Ultrasound guidance sh veins, recurrent varicosi Consider technique opti the diameter of the targ Avoiding Valsalva during Absolute Com Hypersensitivity and known allergy to the sclerosant Acute deep veinthrombosis (DVT) and/or pulmonary embolism (PE) Severe neurological or cardiac sclerotherapy (foam or liquid)	imple intravenous injection pr dge of vascular sonography nd duplex ultrasound assessm ould be used routinely when t is and venous malformations imisation strategies such as th get vessel and minimise the vo g and immediately after proce traindications* Acute systemic illness or Infection Chronic limb-threatening ischaemia adverse events to previous	ent before sclerotherapy is reating saphenous veins, tr e concurrent use of tumeso lume of foam sclerosant us dure is mandatory Indication Telangiectasia Reticular veins Tributary varicosties, perforating veins and	mandatory. ibutaries, perforating tent anaesthetic to reduce ed in one session. Type and Conc. Direct vision foam or liquid sclerotherapy Up to 0.5% POL, up to 0.1% STS Direct vision or ultrasound- guided foam sclerotherapy Up to 0.5% POL, up to 0.5% STS Ultrasound-guided foam sclerotherapy
Sclerotherapy is not a si comprehensive knowled Diagnostic evaluation an Ultrasound guidance sh veins, recurrent varicosi Consider technique opti the diameter of the targ Avoiding Valsalva during Absolute Com Hypersensitivity and known allergy to the sclerosant Acute deep vein thrombosis (DVT) and/or pulmonary embolism (PE) Severe neurological or cardiac sclerotherapy (foam or liquid) Relative Cont Pregnancy, postpartum and	imple intravenous injection pr dge of vascular sonography nd duplex ultrasound assessm ould be used routinely when t is and venous malformations imisation strategies such as th get vessel and minimise the vo g and immediately after proce traindications* Acute systemic illness or Infection Chronic limb-threatening ischaemia adverse events to previous traindications* Chronic systemic disease	ent before sclerotherapy is reating saphenous veins, tr e concurrent use of tumeso lume of foam sclerosant us dure is mandatory Indication Telangiectasia Reticular veins Tributary varicosities, perforating veins and recurrent varicose veins	mandatory. ibutaries, perforating tent anaesthetic to reduce ed in one session. Type and Conc. Direct vision foam or liquid sclerotherapy Up to 0.5% POL, up to 0.1% STS Direct vision or ultrasound- guided foam sclerotherapy Up to 0.5% POL, up to 0.5% STS Ultrasound-guided foam sclerotherapy Both agents: 1.5-3% depending on diameter and wallthickness

Figure 1. The one-page guideline.

For all vascular specialists who routinely utilise sclerotherapy for the treatment of the spectrum of CVD, this article and summary document should act as a reminder of the need for individualised risk assessment and tailoring of treatment to avoid a 'one-size-fits-all' treatment strategy. This one-page guideline summarises the various considerations that vascular specialists need to keep in mind when faced with a patient presents to their practice with symptoms related to CVD. Referral to this document and application of the management principles outlined will hopefully help specialists improve their patients' clinical outcomes and avoid significant complications related to sclerotherapy treatment.

Declaration of Conflicting Interests

The author(s) declared no potential conflicts of interest with respect to the research, authorship, and/or publication of this article.

Funding

The author(s) received no financial support for the research, authorship, and/or publication of this article.

Guarantor

Professor Alun Davies on behalf of the UIP.

Contributorship

K.P. and A.H.D. conceptualised the design of the short report and one-page guideline. H.B.M., B.B-H, S.G., and D.C. contributed to the literature review and formulation of the recommendations. M.T. contributed to the formatting and layout of the one-page guideline and wrote the initial draft of the short report. All authors reviewed the short report prior to submission.

ORCID iDs

Matthew Tan b https://orcid.org/0000-0002-5789-0353 Hernan Bauza Moreno b https://orcid.org/0000-0002-6462-0108 Sergio Gianesini b https://orcid.org/0000-0002-0440-5975 Kurosh Parsi b https://orcid.org/0000-0003-0630-8877 Alun H Davieson b https://orcid.org/0000-0001-5261-6913

References

- Myers K. A history of injection treatments–II sclerotherapy. *Phlebology* 2019; 34(5): 303–310.
- Rabe E and Pannier F, Guideline Group. Indications, contraindications and performance: European guidelines for sclerotherapy in chronic venous disorders. *Phlebology* 2014; 29(1_suppl): 26–33.
- Rathbun S, Norris A, Morrison N, et al. Performance of endovenous foam sclerotherapy in the USA for the treatment of venous disorders: ACP/SVM/AVF/SIR quality improvement guidelines. *Phlebology* 2014; 29(2): 76–82.
- Wong M, Parsi K, Myers K, et al. Sclerotherapy of lower limb veins: indications, contraindications and treatment strategies to prevent complications–A consensus document of the International Union of Phlebology-2023. *Phlebology* 2023; 14: 02683555231151350.
- Davies HO, Popplewell M, Darvall K, et al. A review of randomised controlled trials comparing ultrasound-guided foam sclerotherapy with endothermal ablation for the treatment of great saphenous varicose veins. *Phlebology* 2016; 31(4): 234–240.
- Karimian M, Mohammadi Y, Tardeh S, et al. A systematic review and meta-analysis of randomized controlled trials and cohort studies to study the efficacy of ultrasound-guided foam sclerotherapy for varicose vein treatment. *Indian J Surg.* 2023; 1–2.
- Bi M, Li D, Chen Z, et al. Foam sclerotherapy compared with liquid sclerotherapy for the treatment of lower extremity varicose veins: a protocol for systematic review and meta analysis. *Medicine* 2020; 99(22): e20332.
- Blaise S, Bosson JL and Diamand JM. Ultrasound-guided sclerotherapy of the great saphenous vein with 1% vs. 3% polidocanol foam: a multicentre double-blind randomised trial with 3-year follow-up. *Eur J Vasc Endovasc Surg* 2010; 39(6): 779–786.
- Ceulen RP, Bullens Goessens YI, Pi Van de Venne SJ, et al. Outcomes and side effects of duplex guided sclerotherapy in the treatment of great saphenous veins with 1% versus 3% polidocanol foam: results of a randomized controlled trial with 1 year follow up. *Dermatol Surg* 2007; 33(3): 276–281.
- Myers KA and Jolley D. Factors affecting the risk of deep venous occlusion after ultrasound-guided sclerotherapy for varicose veins. *Eur J Vasc Endovasc Surg* 2008; 36(5): 602–605.